

# THE PROUD HISTORY OF MJS Floorcoverings

MJS, an Australian family owned and operated Company, was founded by the late Mervyn John Sturgess (MJS) in 1967.

Originally founded in Brisbane, MJS now has a national footprint, supplying professional products from brand leaders to the flooring industry of Australia.

MJS owes its continued success to its pillars of strength being; satisfied customers, dedicated team, quality suppliers and family values.

In our MJS Sanding & Coatings Catalogue you will find a selection of products from the brands we represent of accessories associated with the Sanding industry including adhesives, scrapers and blades, respiratory protection, much, much more!

We thank you for your consideration and support of MJS.

# Thank you to our Suppliers































# WHAT'S inside

Abrasives	4
Timber Coatings	13
	10
Tools and Accessories	19
Timbermate Putty	25
	07
Adhesives	27
Oanan ana O Blada a	29
Scrapers & Blades	29
Diamond Grinding	31
Diamond Grinding	31
Respiratory Protection	35
risophatory retoction	
Dust Extraction	37
Machinery	40
,	



#### **SANDING BELTS**




# FLOORSANDING BELTS 200MM X 750MM SIA ABRASIVES

#### EΑ

- Swiss made. Robust cloth backing. Highest quality and strength belt joints for the toughest floor sanding conditions.
- » High stock removal rates, long life and excellent surface results.
- » Provides professional finish, every time and a hero on parquet flooring.

#### Code Description

2812124	2812 200MM x 750MM BELT 24 GRIT
2812136	2812 200MM x 750MM BELT 36 GRIT
2812140	2812 200MM x 750MM BELT 40 GRIT
2812160	2812 200MM x 750MM BELT 60 GRIT
2812180	2812 200MM x 750MM BELT 80 GRIT
28121100	2812 200MM x 750MM BELT 100 GRIT



# FLOORSANDING BELTS 250MM X 750MM SIA ABRASIVES

#### EΑ

- » Swiss made. Robust cloth backing. Highest quality and strength belt joints for the toughest floor sanding conditions.
- » High stock removal rates, long life and excellent surface results.
- » Provides professional finish, every time and a hero on parquet flooring.

	•
2812224	2812 250MM x 750MM BELT 24 GRIT
2812236	2812 250M x 750MM BELT 36 GRIT
2812240	2812 250MM x 750MM BELT 40 GRIT
2812260	2812 250MM x 750MM BELT 60 GRIT
2812280	2812 250MM x 750MM BELT 80 GRIT
28122100	2812 250MM x 750MM BELT 100 GRIT
28122120	2812 250MM x 750MM BELT 120 GRIT



# FLOORSANDING BELTS 300MM X 750MM SIA ABRASIVES

#### EΑ

- Swiss made, high quality Y-weight polyester cloth backing, resulting in excellent stability and strength.
- » Highest stock removal thanks to zirconia grain producing an excellent finish.
- » Can be used on wet and dry surfaces.

Description

280024	2800 300MM x 750M BELT 24 GRIT
280036	2800 300MM x 750M BELT 36 GRIT
280040	2800 300MM x 750M BELT 40 GRIT
280060	2800 300MM x 750M BELT 60 GRIT
280080	2800 300MM x 750M BELT 80 GRIT
2800100	2800 300MM x 750M BELT 100 GRIT



# FLOORSANDING BELTS 300MM X 800MM SIA ABRASIVES

#### EΑ

- Swiss made, high quality Y-weight polyester cloth backing, resulting in excellent stability and strength.
- » Highest stock removal thanks to zirconia grain producing an excellent finish.
- » Can be used on wet and dry surfaces.

2800B324	2800 300MM x 800MM BELT 24 GRIT
2800B336	2800 300MM x 800MM BELT 36 GRIT
2800B340	2800 300MM x 800MM BELT 40 GRIT
2800B360	2800 300MM x 800MM BELT 60 GRIT
2800B380	2800 300MM x 800MM BELT 80 GRIT
2800B3100	2800 300MM x 800MM BELT 100 GRIT

#### SANDPAPER ROLLS



# SANDPAPER - ROLLS - 203MM (8") SIA ABRASIVES

#### **ROLL**

- Manufactured from the highest Swiss standards. Silicon Carbide Y-weight cloth backing edger roll. Silicon Carbide F-weight paper backing edger roll.
- » Providing high performance and long life in heavy duty applications.
- Maximum performance during heavy-duty rotary sanding on plasterboard, stone and old paint.

#### Code

#### **Description**

1707R824	1707 203MM x 25M 24 GRIT
1707R830	1707 203MM x 25M 30 GRIT
1707R840	1707 203MM x 50M 40 GRIT
1707R860	1707 203MM x 50M 60 GRIT
1707R880	1707 203MM x 50M 80 GRIT
1707R8100	1707 203MM x 50M 100 GRIT



# SANDPAPER ROLLS - 305MM (12") SIA ABRASIVES

#### ROI I

- Manufactured from the highest Swiss standards. Silicon Carbide Y-weight cloth backing edger roll. Silicon Carbide F-weight paper backing edger roll.
- » Providing high performance and long life in heavy duty applications.
- Maximum performance during heavy-duty rotary sanding on plasterboard, stone and old paint.

#### Code

#### **Description**

1707R1216	1707 305MM x 25M 16 GRIT
1707R1224	1707 305MM x 25M 24 GRIT
1707R1240	1707 305MM x 50M 40 GRIT
1707R1260	1707 305MM x 50M 60 GRIT
1707R1280	1707 305MM x 50M 80 GRIT
1707R12100	1707 305MM x 50M 100 GRIT



# SANDPAPER – ROLLS 405MM (16") SIA ABRASIVES

#### ROLL

- Manufactured from the highest Swiss standards. Silicon Carbide F-weight paper backing edger roll.
- » Providing high performance and long life in heavy duty applications.
- Maximum performance during heavy-duty rotary sanding on plasterboard, stone and old paint.

#### Code

#### Description

1707R16100	1707 405MM x 50M 100 GRIT
------------	---------------------------

#### **LARGE DISCS - 407MM**



# PAPER DISCS 407MM (16") (POLIVAC) SIA ABRASIVES

#### DISC

- Manufactured from the highest Swiss standards. Silicon Carbide Y-weight cloth backing edger disc Silicon Carbide F-weight paper backing edger disc
- » Providing high performance and long life in heavy duty applications.
- **»** Maximum performance during heavy-duty rotary sanding on plasterboard, stone and old paint.

#### Code Description

1707D1616	1707 407MM 16 GRIT
1707D1624	1707 407MM 24 GRIT
1707D1630	1707 407MM 30 GRIT
1707D1640	1707 407MM 40 GRIT
1707D1660	1707 407MM 60 GRIT
1707D1680	1707 407MM 80 GRIT
1707D16100	1707 407MM 100 GRIT
1707D16120	1707 407MM 120 GRIT



# **DOUBLE SIDED DISCS 407MM (16")**SIA ABRASIVES

#### DISC

- » Manufactured from the highest Swiss standards. Silicon Carbide Y-weight cloth backing edger disc Silicon Carbide F-weight paper backing edger disc
- » Providing high performance and long life in heavy duty applications.
- Maximum performance during heavy-duty rotary sanding on plasterboard, stone and old paint.

	·
1707DSD16	1707 407MM 16 GRIT
1707DSD24	1707 407MM 24 GRIT
1707DSD40	1707 407MM 40 GRIT
1707DSD60	1707 407MM 60 GRIT
1707DSD80	1707 407MM 80 GRIT
1707DSD120	1707 407MM 120 GRIT

# SIA FAST DISCS 407MM (16") SIA ABRASIVES




#### DISC

- Swiss made. Requires minimal effort for high stock removal. Outstanding performance in dry sanding applications.
- » High removal rate with long life and excellent finish.
- » Versatile all-round product with an attractive range of options.

#### Code Description

1815D1624	1815 SIA FAST 407MM 24 GRIT
1815D1640	1815 SIA FAST 407MM 40 GRIT
1815D1660	1815 SIA FAST 407MM 60 GRIT
1815D1680	1815 SIA FAST 407MM 80 GRIT
1815D16100	1815 SIA FAST 407MM 100 GRIT
1815D16120	1815 SIA FAST 407MM 120 GRIT
1815D16150	1815 SIA FAST 407MM 150 GRIT



# MESH DISCS (SCREEN) 407MM (16") SIA ABRASIVES

#### DISC

- Manufactured from the highest Swiss standards. Virtually Dust-Free, Silicon Carbide disc.
- High removal rate, Long lifetime, minimal clogging mesh, not hole dependent. Produces the perfect finish.
- » Excellent surface quality in lacquering applications.

SM1680	SIANET MESH 407MM 80 GRIT
SM16100	SIANET MESH 407MM 100 GRIT
SM16120	SIANET MESH 407MM 120 GRIT
SM16150	SIANET MESH 407MM 150 GRIT
SM16180	SIANET MESH 407MM 180 GRIT
SM16220	SIANET MESH 407MM 220 GRIT



# FLEESE PADS 407MM (16") SIA ABRASIVES

#### DISC

- » Manufactured from high quality materials to strict specifications.
- » High flexibility, consistent sanding pattern.
- » Long lifetime and versatility.

Code	Description
------	-------------

SBD16F	FLEESE PADS V/FINE 405MM DISC

## **EDGER DISCS**

# EDGER DISCS - 178MM (7") SIA ABRASIVES

#### DISC

- Manufactured from the highest Swiss standards. Silicon Carbide Y-weight cloth backing edger disc Silicon Carbide F-weight paper backing edger disc
- » Providing high performance and long life in heavy duty applications.
- Maximum performance during heavy-duty rotary sanding on plasterboard, stone and old paint.



#### Code Description

1707D724	1707 178x 22 24 GRIT
1707D740	1707 178 x 22 40 GRIT
1707D760	1707 178 x 22 60 GRIT
1707D780	1707 178 x 22 80 GRIT
1707D7100	1707 178 x 22 100 GRIT
1707D7120	1707 178 x 22 120 GRIT

# SIA FAST SANDPAPER DISCS - 150MM (6") SIA ABRASIVES

#### DISC

- » Swiss made. Minimal effort required, resulting in high stock removal. Outstanding performance in dry sanding applications.
- High removal rate with long life and very good finish.
- » Excellent surface quality in lacquering applications.



1815D624	1815 SIA FAST 150MM 24 GRIT
1815D640	1815 SIA FAST 150MM 40 GRIT
1815D660	1815 SIA FAST 150MM 60 GRIT
1815D680	1815 SIA FAST 150MM 80 GRIT
1815D6100	1815 SIA FAST 150MM 100 GRIT
1815D6120	1815 SIA FAST 150MM 120 GRIT

#### **SIA FAST DISCS - SMALL**



# SIA FAST SANDPAPER DISCS (TRIO) 200MM (8") SIA ABRASIVES

#### DISC

- » Swiss made. Minimal effort required, resulting in high stock removal. Outstanding performance in dry sanding applications.
- » High removal rate with long life and very good finish.
- » Excellent surface quality in lacquering applications.

#### Code Description

1815D840	1815 SIA FAST 200MM 40 GRIT
1815D860	1815 SIA FAST 200MM 60 GRIT
1815D880	1815 SIA FAST 200MM 80 GRIT
1815D8100	1815 SIA FAST 200MM 100 GRIT
1815D8120	1815 SIA FAST 200MM 120 GRIT



# SIA FAST SANDPAPER DISCS - 150MM (6") - 9 HOLE SIA ABRASIVES

#### DISC

- Swiss made. Minimal effort required, resulting in high stock removal. Outstanding performance in dry sanding applications.
- » High removal rate with long life and very good finish.
- » Versatile all-round product with an attractive range of options.

#### Code

#### Description

	•
1815DH660	1815 SIA FAST 150MM CENTRE HOLE + 8 DUST EXT 60 GRIT
1815DH680	1815 SIA FAST 150MM CENTRE HOLE + 8 DUST EXT 80 GRIT
1815DH6100	1815 SIA FAST 150MM CENTRE HOLE + 8 DUST EXT 100 GRIT
1815DH6120	1815 SIA FAST 150MM CENTRE HOLE + 8 DUST EXT 120 GRIT
1815DH6150	1815 SIA FAST 150MM CENTRE HOLE + 8 DUST EXT 150 GRIT





#### DISC

Swiss made. Minimal effort required, resulting in high stock removal. Outstanding performance in dry sanding applications.

**SIA FAST SANDPAPER DISCS - 125MM (5")** 

- » High removal rate with long life and very good finish.
- » Versatile all-round product with an attractive range of options.

1815D580	1815 SIA FAST 125MM 80 GRIT
1815D5100	1815 SIA FAST 125MM 100 GRIT
1815D5120	1815 SIA FAST 125MM 120 GRIT



#### SIA FAST SANDPAPER DISCS - 115MM (4.5") SIA ABRASIVES

#### DISC

- » Swiss made. Minimal effort required, resulting in high stock removal. Outstanding performance in dry sanding applications.
- » High removal rate with long life and excellent finish.
- » Zirconia / Aluminium Oxide paper backing.

#### Code **Description**

1815D480	1815 SIA FAST 115MM 80 GRIT
1815D4100	1815 SIA FAST 115MM 100 GRIT
1815D4120	1815 SIA FAST 115MM 120 GRIT



#### **STARTER PADS 150MM (6") + 405MM (16")** SIA ABRASIVES

#### DISC

- » Self-adhesive conversion kit for easy attachment to the tool.
- » Conversion allows the use of all siafast products.
- » Lossless energy transfer from the tool to the workpiece.

ST6	STARTER 150MM PSA DISC
ST16	STARTER 405MM PSA DISC





# If you ever have an issue, We've got your back.



Need product to fix an issue?

We'll supply it to you for free.



Sanding required to fix an issue?

We'll pay you to sand back.

We're so confident in the Enviropro range that we'll guarantee its performance.

# Quick Reference Table

	Product	Description	Sheen Levels	Apply with	Preparation	Coverage^	No. of Coats	Touch Dry*	Recoat Time*	Full Cure*	Clean Up With
	Timberseal™ Water Based	Water based sealer, suitable for timber floors and parquetry	N/A	Brush, 10mm microfibre roller	Bare timber only	8-10m²/L	1	30 mins	1 hour	N/A	
Sealers	Timberseal" Alcohol Based	Easy to use alcohol based sealing solution. Suitable for timber floors and parquetry	N/A	Brush, 10mm microfibre roller	Bare timber only	8-10m²/L	1	30 mins	1 hour	N/A	Methelyated Spirits
	Timberseal <sup>™</sup> Ultra	Sandable, smooth application feel timber sealer. Suitable for timber floors and parquetry	N/A	Brush, 10mm microfibre roller	Bare timber only	8-10m²/L	1	30 mins	1 hour	NA	Water
	Endure® 1 Pack	Highly durable, no fuss 1 Pack	Matt Satin Gloss	Brush, 10mm microfibre roller	Timberseal" Water Based or Timberseal" Ultra	8-10m²/L	2-3	2 hours	4 Hours	7 Days	Water
Top Coats	Endure® 2 Pack	Extremely durable high performing 2 Pack	Matt Satin Gloss	Brush, 10mm microfibre roller	Timberseal" Water Based or Timberseal" Ultra	8-10m²/L	2-3	2 hours	4 Hours	7 Days	Water
	Endure® High Build	Unique two coat wonder – no sealer required	Satin Gloss	Brush, 12mm microfibre roller	N/A	8-10m²/L	2	1 Hour	4 Hours	14 Days	Water
Additive	Wet Edge Extender	Hot weather helper – reduces lapmarks and makes hot weather application less stressful	N/A	Mix thoroughly	WA	Add to max. 5%	N/A	N/A	N/A	N/A	Water
Cleaner	Squeaky Clean™	Everyday timber floor cleaning solution for the Home Owner	N/A	Damp mop	N/A	2 capfuls in 4L water	N/A	N/A	N/A	N/A	Water

# www.intergrain.com.au/professional-floor-finishes Technical Assistance: 1800 630 285 | Datasheets: www.duspec.com.au



drying times. Please refer to the application instructions provided on the pack before commencing coating. A Water based Enviropro® coatings emit significantly less VOCs (volatile organic compounds) into the atmosphere than ^Coverage rates are dependent on the porosity of the timber species, stated coverage rates must not be exceeded. \*Drying times are based on drying conditions of 25C and 50% humidity. Variations from these conditions may extend or reduce Building Council of Australia (GBCA) target for VOC level of floor coatings is less than 140 grams per litre of VOC. Water based Enviropro® coatings can be used on Green Star Buildings as they emit significantly less VOCs than the target set by traditional solvent based finishes and meet the VOC requirements of the GBCA. So, combined with being safer to use, water based Enviropro® coatings are much gentler on the environment. \* GREEN BUILDING COMPLIANT – The Green the GBCA. Refer to the datasheet on www.duspec.com.au for the actual VOC level of Enviropro® coatings.

(a) Intergrain, Enviropro and Endure are registered trade marks. To Squeaky Clean, Timberseal and UltraGrip are trade marks. Intergrain Timber Finishes, 1956 Dandenong Road, Clayton Victoria 3168.

#### **WATER BASED SEALERS**



# ENVIROPRO TIMBERSEAL ENVTS

5L

- » Maintains the colour & grain of timber floors
- » 1 hour dry time.
- » Easy to use- Do not sand.



#### ENVIROPRO TIMBERSEAL ULTRA ENVTSU

5L

- » Maintains the colour & grain of timber floors.
- » Water based, sandable sealer.
- » Higher viscosity for smooth application feel.



# ENVIROPRO TIMBERSEAL ALCOHOL BASED ENVTSA

5L

- » Enhances the colour & grain of timber floors.
- » 1 hour dry time.
- » Compatible with Enviropro topcoats.

#### WATER BASED POLYURETHANE



#### TOBY AQUAMAX COMM SPORTS PART A & B ACSPA, ACSPB

17L + 1.7L

- » Available in Gloss and Low Sheen.
- Water based two-pack finish for interior timber and parquetry floors.
- >> Very good flow and levelling for a smooth finish.
- > Very good wear and scuff resistance.



#### ENVIROPRO ENDURE 2K TWO PACK PART A ENV2KA

4.5L

- » Available in Gloss, Satin and Matt.
- » Maintains the natural look of timber.
- » Extremely durable.
- » Resitant to commercial levels of wear & tear.



#### ENVIROPRO ENDURE 2K TWO PACK PART B ENV2KB

500ML

- » Mix with Enviropro Endure 2 Pack Part A.
- » 9:1 mix ratio.



# ENVIRO ENDURE 1K

5L

- » Available in Gloss, Satin and Matt.
- » Maintains the natural look of timber.
- » Highly durable.
- » Resistant to everyday wear & tear.

#### **SOLVENT BASED SEALERS**



#### **TOBY GF BARRIER SEAL** BS20 20L

- » Toby's best selling sealer for timber floors.
- » 1.5 Hour topcoat time.
- » Good colour development.



#### **TOBY RAPID SEAL**

#### **RS20**

#### 20L

- Fast drying sealer for timber.
- » Very good tannin and oil blocking properties.
- » Excellent adhesion.

#### **SOLVENT / OIL BASED POLYURETHANE**



#### **TOBY CRYSTAL CLEAR GLOSS** UC20 20L

- » Crystal clear finish that highlights the natural grain of the timber.
- » Easily applied by brush, roller or lambswool applicator.
- » For timber, parquetry & cork floors.



#### **TOBY UNITHANE GLOSS UG20**

#### 20L

- » Extremely hard wearing, scratch resistant finish.
- One-component moisture cure polyurethane.
- » For timber, parquetry & cork floors.



#### **TOBY UNITHANE SATIN US10 TOBY UNITHANE MATT UM10** 10L

- » Extremely hard wearing, scratch resistant finish.
- » One-component moisture cure polyurethane.
- » For timber, parquetry & cork floors.



#### **TOBY LUSTAPOL PART A** LUSA

#### 20L

- » Part A of two-pack polyurethane for timber floors.
- » Resists expansion, flexing and indentation.
- » Clear, smooth, high gloss finish.



#### **TOBY LUSTAPOL PART B LUSB**

#### 20L

- » Part B of two-pack polyurethane for timber floors.
- » Resists expansion, flexing and indentation.
- » Clear, smooth, high gloss finish.



#### TOBY U.M.O GLOSS UMO20G **TOBY U.M.O SATIN UMO20S** 20L

- > Very good wear and scuff resistant.
- » Ideal for domestic and commercial floors.
- Excellent flow and levelling properties.

#### **OIL BASED COATINGS**



# FEAST WATSON TUNG OIL FWT10

10L

- Traditional Tung Oil finish for timber, parquetry & cork floors.
- » Natural matt finish.
- » Wash up with mineral turpentine.



#### HARD WAX OIL NATURAL MATT HW04

4L

- » Maintains the wood texture & feel.
- » Natural matt finish.
- » 20-24m2 coverage per litre.

#### **ANCILLARY & CLEANING PRODUCTS**



#### FEAST WATSON 20L SUPER SOLVENT - FWS20

FWS20

20L

- Cleans equipment used to apply moisture cured polyurethanes.
- Use to rinse brushes, rollers and pads thoroughly.
- $\hspace{-1.5cm}>\hspace{-1.5cm}>\hspace{-1.5cm}$  Not to be used for thinning products.



# ENVIROPRO SQUEAKY CLEAN ENVSQ1

1L

- Helps to remove scuff marks & stains and leaves a streak free finish.
- » Multipurpose water-based timber floor cleaner.
- Suitable for use on coated timber, parquetry and floating floors.





#### Saw Blades



#### AUSTSAW RAIDERX ALUMINIUM MULTI MATERIAL BLADE

ABRX1652060

165mm x 20 x 60T

- » 165mm, 20mm Bore, 16m Bush, 60Teeth.
- Controlled triple chip tooth design eliminates over feeding or grabbing. Anti vibration slot absorbs vibration in all cutting applications. Impact resistant brazing high performance tooth bonding. Anti-friction coating increases blade life.
- » Multi-material cutting of aluminium, MDF, chipboard, plywood, softwood, plastic and laminate.



# AUSTSAW EXTREME: WOOD WITH NAILS BLADE

ABRX1852064

185mm x 20 x 64T

- » 185mm, 20mm Bore, 16mm Bush, 40 Teeth.
- Premium European hi-density carbide for extreme durability and cutting life. Heavy duty laser cut plate is constructed of the finest quality steel for strength and resilience. Impact resistant brazing for high-performance tooth bonding.
- Designed to cut: wood, wood with knots and nails, hardwood, softwood, plywood, MDF and chipboard.



# AUSTSAW RAIDERX ALUMINIUM MULTI MATERIAL BLADE

ABRX25530100

255mm x 30 x 100T

- 255mm, 30mm Bore, 25.4/25mm Bush, 100 Teeth.
- Controlled triple chip tooth design eliminates over feeding or grabbing. Anti vibration slot absorbs vibration in all cutting applications. Impact resistant brazing high performance tooth bonding. Anti-friction coating increases blade life.
- Multi-material cutting of aluminium, MDF, chipboard, plywood, softwood, plastic and laminate.



# AUSTSAW EXTREME: WOOD WITH NAILS BLADE

TBPP2553080

255mm x 30 x 80 T

- 255mm, 30mm Bore, 25.4/25mm Bush, 80 Teeth
- Premium European hi-density carbide for extreme durability and cutting life. Heavy duty laser cut plate is constructed of the finest quality steel for strength and resilience. Impact resistant brazing for high-performance tooth bonding.
- Designed to cut: wood, wood with knots and nails, hardwood, softwood, plywood, MDF and chipboard.

#### **Multi-tools**



#### COARSE TOOTH 32MM -TIMBER MULTI-TOOL BLADE 32CT1

- » 42mm Cutting Depth
- » Coarse tooth design for fast timber cutting. Super thin 0.8mm precision blade provides flexibility when working at odd angles while maintaining core strength.
- Ideal for Wood, Timber Moulding, Plaster, Plastic.



#### METAL BUSTER 35MM -TUNGSTEN CARBIDE MULTI-TOOL BLADE 35TCT1

- » 42mm Cutting Depth
- Tungsten carbide tipped (TCT) blade for clean cutting & 3x life. 1.25mm precision blade provides flexibility when working at odd angles while maintaining core strength.
- Ideal for Wood with Nails, Non Ferous Metal, Screws, Bolts, Thread Rod & Nails.



# FINE TOOTH 32MM - TIMBER MULTI-TOOL BLADE

#### 32FT

- » 42mm Cutting Depth
- Fine tooth design for precise & intricate cutting. Super thin 0.8mm precision blade provides flexibility when working at odd angles while maintaining core strength. Perfect for window & door hardware cutouts.
- Ideal for Wood, Timber Moulding, Plaster, Plastic.



#### SMART 32MM BIMETAL SAW BLADE TITANIUM 1PC 32BMT1

- >> 56mm Cutting Depth.
- » Bi-metal for heavy duty quality & longer lasting teeth. Super thin 0.8mm precision blade provides flexibility when working at odd angles while maintaining core strength. Tin coating reduces heat & increases lubricity for faster cutting & extended life.
- Non Ferous Metal, Plaster, Fibreglass, Plastic.



#### NAIL BUSTER 32MM - BI-METAL MULTI-TOOL BLADE 32BM1

- » 56mm Cutting Depth.
- Bi-metal for heavy duty quality & longer lasting teeth. Super thin 0.8mm precision blade provides flexibility when working at odd angles while maintaining core strength.
- Ideal for Wood with Nails, Timber Moulding, Non Ferous Metal, Plaster, Fibreglass, Plastic.



#### COARSE TOOTH 35MM -HARDWOOD MULTI-TOOL BLADE

#### 35HCT1

- 3 42mm Cutting Depth
- Heat treated, hard pointed teeth extends working life when cutting hardwood. Super thin 0.8mm precision blade provides flexibility when working at odd angles while maintaining core strength.
- Jdeal for Hardwood, Timber Moulding, Plaster, Plastic.

#### Drill Bits



#### CPH250S

- » Superior Head Design, Greater Magnetism and Optimum Hardness.
- » Alpha driver bits show less wear, have a longer service life, experience less cam-out, and provide overall improved operational and economic benefits.



#### PH2 X 100MM PHILLIPS **POWER BIT CARDED CPH2100S**

- » Superior Head Design, Greater Magnetism and Optimum Hardness.
- » Alpha driver bits show less wear, have a longer service life, experience less cam-out, and provide overall improved operational and economic benefits.




#### **PH3 X 50MM PHILLIPS POWER BIT CARDED**

#### **CPH350S**

- » Superior Head Design, Greater Magnetism and Optimum Hardness
- » Alpha driver bits show less wear, have a longer service life, experience less cam-out, and provide overall improved operational and economic benefits

#### THUNDERZONE IMPACT BITS



#### PH2 X 50MM PHILLIPS POWER **BIT THUNDERZONE**

#### CPH250SS

- » Thunder Zone impact driver bits with their patented spiral impact zone to absorb torsion.
- Perfect for the toughest impact driving jobs.



# PH2 X 100MM PHILLIPS

- » Thunder Zone impact driver bits with their



#### **POWER BIT THUNDERZONE CPH2100SS**

- patented spiral impact zone to absorb torsion.
- » Perfect for the toughest impact driving jobs.

#### **UNIDRE 1/4IN HEX MASONRY DRILL**

**SDS PLUS GERMAN ZENTRO 4** 

**CUTTER MASONRY DRILL** 

» The one-piece, solid carbide tip and

drilling with pinpoint accuracy.

patented reinforcing chamfering ensure low

vibration and optimum drilling performance when drilling into reinforced steel. » Optimised flute core strength ensures low vibration drilling performance and exceptional fracture resistance. The high-volume flute geometry ensures the optimum removal of drilling dust. Centring tip for straight forward spot

5.0 x 160mm

6.0 x 160mm

8.0 x 160mm

SPZ050160, SPZ060160, SPZ080160

UNIHEX060, UNIHEX080

6.0mm x 160mm 8.0mm x 160mm

capacity

» For drilling wood, metal, plastic, brick, tiles, ceramics, plasterboard and aerated concrete, fits 1/4" bit holder.

#### **PH3 X 50MM PHILLIPS POWER BIT THUNDERZONE**

#### CPH350SS

- Thunder Zone impact driver bits with their patented spiral impact zone to absorb torsion.
- Perfect for the toughest impact driving jobs.

#### All bits are magnetised - helps the grip the screw and prevent cam-out

Compression forged tip - for an ideal fit and to reduce breakage

Patented spiral impact zone to distribute torque evenly

Full body hardness - for a longer service life

Premium quality S2 raw material

#### STANDARD DRIVER BITS



Superior magnetism helps the bit grip the screw and prevent cam-out

Optimum full body hardness for longer service life and less wear

#### **Miscellaneous**



#### BOSS NEOPRENE LEATHERETTE KNEE PADS

- All leather outer shield and fully launderable nylon fabric.
- » Easy to use/adjustable velcro strap.
- Suitable for any application these knee pads are designed to rejuvenate your knees so you can work longer and more comfortably.



# "COMFORT KNEE" KNEE PADS

197

- Designed especially for flooring installation, these pads provide protection for both kneeling and knee kicking.
- Contour conforms to the motion of your knee.
- Made from flexible yet durable neoprene material, these pads are machine-washable.



# STERLING CHALK LINE SET: ALUMINIUM CASE

- **CLSA**
- 30m length in Durable die-cast aluminium housing for strength and stability.
- » Rewinds 5x faster than standard chalk lines.
- » Includes 115gram bottle of blue chalk.



# DTA BUCKET DOLLY WITH WHEELS

#### **BDOLLY**

- 5 castor wheels/3 castor wheels with brake.
- » Ideal for moving adhesive around site.
- » Suitable for 20L buckets.



#### ULTIMAX PRO BLACK PANTHER GEN II: INDUSTRIAL SNIPS

29720

#### 200mm

- » Ideal for long straight cuts to improve efficiency and accuracy. Featuring quality 420J2 stainless steel and carbon construction, giving them a constant sharp edge and corrosion resistance in industrial environments.
- Comfort grip handles made from impact and solvent resistant TPR material. Upgraded locking clasp with comfort grip. Anti-slip ridges for extra grip.
- » Ideal for various applications including: Wire, aluminium, sheet metal, carpet, leather, rubber, gardening, food prep, camping and more



# JACK HAMMER TROLLEY

- Innovative demolition tool designed for the fast and easy removal of floor tiles, vinyl & cork from concrete and wooden surfaces
- Can also be used to remove residue from tile beds and for breaking rocks, blocks, concrete and sandstone
- Can be adjusted to 6 different positions ranging from 28 to 80 degrees to suit most demolition jobs



# STERLING RETRACTABLE PERMANENT MARKER

#### RPM2B

#### 2 Pack Black

- Unique safety valve design prevents drying out and leaking when retracted.
- No cap to remove or lose. Fast drying, wear resistant ink.
- Suitable for almost all surfaces, including; paper, fabric, wood, glass, plastic, cardboard, metal and more.



# RED STERLING CARPENTERS PENCIL

#### SCP01

- Easy grip.
- » Draw thick or thin lines.
- » Quality lead.



#### 10M METRIC TAPE MEASURE **25MM** T1025M

- >> 10M measure tape with full rubber grip
- 25mm wide nylon coated, yellow metal tape
- Magnet hook



#### 10M METRIC TAPE MEASURE **25MM**

#### **TMFXE1027**

- » Double sided blade printing.
- High impact resistant ABS casing with non-slip grip.
- Superior internal mechanism provides smooth operation.



#### **PROTECT IT - FLOOR PROTECTION**

#### PI250

#### 1m x 50 L/m rolls

- Designed for protecting finished floors prior to hand over whilst other trades are working on site
- » Can be used multiple times
- 2mm thick

#### **Brushes & Rollers**



#### **CAGE FRAME ROLLER ALL ROUNDER 230MM** 3295

- » Economy cage frame.
- Threaded to fit Rokset extension pole.
- Plastic Handle.



#### **CAGE FRAME HEAVY DUTY LITTLE GEM 270MM** 11850

- » Heavy duty cage frame with reinforced end caps.
- » Soft touch handle.
- » Threaded to fit Rokset extension pole.



#### **CAULKING GUN SKELETON** H/DUTY 10389

» For ease of use when applying fillers.



#### **INDUSTRIAL BRUSH 50MM** 3151, 3159, 3167

- » A wooden handled, white hog bristle brush.
- » designed for industrial and marine use.
- » Available in 50mm, 75mm & 100mm.



#### **ALL ROUNDER 12MM NAP** COVER 230MM (2 PACK) 1957

- » Covers have a 12mm nap with an end cap.
- » Available in 230mm.



#### **MOHAIR BLEND GLOSS COVER 270MM**

#### 5717

- » For an exceptionally smooth and even finish.
- This cover can be used with turps, solvent or oil based paints.
- » Designed for use on smooth and semi-smooth surfaces.





# TIMBERMATE FILLER TIM2

#### 2kg

- Interior grade 4 in 1 Wood Putty, Grain Filler, Edge Filler and Crack Filler.
- No Waste, Usable to the last drop. If tub dries out just add water to soften.
- Suitable for use in all Timbers including Particle Board M.D.F.



# TIMBERMATE FILLER TIM8

#### 8kg

- Interior grade 4 in 1 Wood Putty, Grain Filler, Edge Filler and Crack Filler.
- » No Waste, Usable to the last drop. If tub dries out just add water to soften.
- Suitable for use in all Timbers including Particle Board M.D.F.



# TIMBERMATE FILLER


#### 20kg

- Interior grade 4 in 1 Wood Putty, Grain Filler, Edge Filler and Crack Filler.
- No Waste, Usable to the last drop. If tub dries out just add water to soften.
- Suitable for use in all Timbers including Particle Board M.D.F.

#### **FILLER COLOUR RANGE:**









#### 10L AFTEK MS TIMBER ADHESIVE AMS10

#### 10L

- Designed for bonding timber flooring directly to concrete / cement sheeting or yellow tongue flooring.
- » Solvent and Isocyanate free.
- » Non slump and easy to trowel.



#### AFTEK MS TIMBER ADHESIVE AMS600 600ML

- Designed for bonding timber flooring directly to concrete / cement sheeting or yellow tongue flooring.
- » Solvent and Isocyanate free.
- » Non slump and easy to trowel.



#### BOSTIK ULTRASET SF ADHESIVE 16KG ULT16

#### 12L

- One part solvent free polyurethane elastomeric adhesive formulated to adhere most types of hardwood floors.
- » Solvent free formulation & low VOC.
- » No mixing, easy to use and ready to spread.



# BOSTIK NO MORE NAILS NMN

#### 320GM

- » Versatile general purpose construction adhesive suitable for bonding a wide variety of building materials.
- Its superb bond strength is ideal for demanding situations.
- » Easy to gun and easy to apply.







#### 50MM PROBIDE TUNGSTEN CARBIDE SCRAPER 003761

- » German Tungsten Carbide Reversible Blade.
- >> Threaded handle for extension poles.
- » Replacement blades available.



# 50MM PROBIDE TUNGSTEN CARBIDE REPLACEMENT BLADES (6)

#### 003778

- Special grade of tungsten carbide is extremely hard and durable.
- Suitable for use with 50mm Probide Tungsten Carbide Scraper.
- » Pack of 6.



# ALLWAY SOFTGRIP SCRAPER 2 EDGE 28MM

#### FE1

- » Dual molded, soft grip handle.
- » 2 edge scraper.
- Exclusive camber ground blade for aggressive scraping actions.



# ALLWAY SOFTGRIP SCRAPER 4 EDGE 65MM

#### FE4

- » Dual molded, soft grip handle.
- » 4 edge scraper, 2.5" wide blade.
- Exclusive camber ground blade for aggressive scraping actions.



# ALLWAY 1B 2 EDGE SCRAPER BLADES 28MM (2)

#### SR1F

- » 2 edge 28mm (1-1/8") replacement blades.
- » 2 blades per pack.



#### ALLWAY 42B 4 EDGE SCRAPER BLADES 65MM (2)

#### SB42B

- » 4 edge 65mm (2-1/2") replacement blades.
- » 2 blades per pack.





### **All your Diamond Grinding needs**



#### **DIAMOND STEP SHAPED SEGMENT - CUP WHEEL**

STEP5, STEP7

#### 25 Grit

- » Designed for fast & aggressive concrete grinding
- » Available in either:
  - 5" 125mm x 6 segment x 12mm high x 22.23mm
  - 7" 178mm x 8 segment x 12mm high x 22.23mm
- » Available in purple, yellow or black (see guide for cup wheel colour that suits your floor type)



#### **DIAMOND SHAPED SEGMENT - CUP WHEEL**

DSCW56, DSW76, DSCW712

#### 25 Grit

- » Designed for fast & aggressive concrete grinding
- » Available in either:
  - 5" 125mm x 6 segment x 8mm high x 22.23mm
  - 7" 125mm x 6 SEGMENT x 8mm high x 22.23mm
  - 7" 178mm x 12 segment x 8mm high x 22.23mm
- » Available in yellow, black & blue (see guide for cup wheel colour that suits your floor type)



# DIAMOND ARROW SHAPED SEGMENT – CUP WHEEL ASCW56, ASCW76, ASCW710

#### 25 Grit

- » Designed for fast & aggressive grinding for coatings removal
- » Available in either:
  - 5" 125mm x 6 segment x 10mm high x 22.23mm 25 Grit
  - 7" 178mm x 6 segment x 15mm high x 22.23mm 25 Grit
  - 7" 178mm x 10 segment x 10mm high x 22.23mm 25 Grit
- » Available in yellow (See guide for cup wheel colour that suits your floor type)



# ARROW SEGMENT + SPLIT PCD - CUP WHEEL

#### ASCW73PCD

- Designed for fast & aggressive concrete grinding for hard coatings removal
- 7" 178mm x 3 large segment + split PCD x 15mm high x 22.23mm



#### **DIAMOND TURBO - CUP WHEEL**

DT45, DT5, DT7

16 Grit, 30/40 Grit, 60 Grit, 80 Grit, 120 Grit

Designed for concrete grinding & coating removal

- 9 & 12 segments 16/30/40 Grit are designed for aggressive concrete grinding & coatings removal. 18 & 24 segments – 60/80/120 Grit are designed for fine grinding
- » Available in either:
  - 4.5" 115mm x 9 segment x 22.23mm 30/40 Grit
  - 5" 125mm x 9 segment x 8mm x 22.23mm 30/40 Grit
  - 5" 125mm x 18 segment x 5mm x 22.23mm 30/40 Grit & 60 Grit
  - 7" 180mm x 12 segment x 8mm x 22.23mm 16 Grit, 30/40 Grit, 60 Grit, 120 Grit
  - 7" 180mm x 24 segment x 22.23mm 30/40 Grit, 60 Grit, 80 Grit, 120 Grit
- » Available in yellow, white, black, purple, blue & yellow (see guide for cup wheel colour that suits your floor type)



# DIAMOND CYCLONE - CUP WHEEL CYC4

#### 30 Grit

- » Designed for general purpose concrete grinding
- » 4" 100mm x 22.23mm 30 Grit
- Available in white (See guide for cup wheel colour that suits your floor type)





#### DIAMOND DOUBLE ROW - CUP WHEEL

#### DR4/DR5/DR7

30/40 Grit, 120 Grit

- 30/40 Grit designed for faster material removal on concrete, 120 Grit designed for fine surface preparation on concrete
- » Available in either:
  - 4" 100mm x 16mm x 22.23mm 30/40 Grit
  - 5" 125mm x 22.23mm 30/40 Grit
  - 7" 180mm x 22.23mm 30/40 Grit, 120 Grit
- » Available in White (see guide for cup wheel colour that suits your floor type)

COLOUR	GUIDE		
XHF	PURPLE	Super Soft Bond	Super Hard Floors
VHF	BLUE	Very Soft Bond	Very Hard Floors
HF	YELLOW	Soft Bond	Hard Floors
MF	WHITE	Medium Bond	Medium Floors
SF	BLACK	Hard Bond	Soft Floors
VSF	GREEN	Very Hard Bond	Very Soft Floors















#### PREMIUM PRO QUICK LOCK SHOE - STEP STYLE - 13MM HIGH WLSTEP25

#### 25 Grit

- » Designed for aggressive coatings removal
- Available in single segment and double segment
- » Single segment available in black, purple & yellow. Double segment available in black, purple, white & yellow (See guide for grinding shoe colour that suits your floor type)



#### PREMIUM PRO QUICK LOCK SHOE - COFFIN STYLE - 13MM HIGH

#### WL16/WL25/WL30/WL60/WL120

16 Grit, 25 Grit, 30 Grit, 60 Grit & 120 Grit

- » Designed for general concrete grinding
- » Available in single segment and double segment
- Single segment available in blue, white, yellow, black, purple, green. Double segment available in purple, blue, white, yellow, black, green. (See guide for grinding shoe colour that suits your floor type)




#### PREMIUM PRO QUICK LOCK SHOE - STAR STYLE - 12MM HIGH WLSTAR25

#### 25 Grit

- » Designed for aggressive coatings removal
- Available in single segment
- Available in black, purple & yellow (See guide for grinding shoe colour that suits your floor type)

COLOUR GUIDE			
XHF	PURPLE	Super Soft Bond	Super Hard Floors
VHF	BLUE	Very Soft Bond	Very Hard Floors
HF	YELLOW	Soft Bond	Hard Floors
MF	WHITE	Medium Bond	Medium Floors
SF	BLACK	Hard Bond	Soft Floors
VSF	GREEN	Very Hard Bond	Very Soft Floors



### All your respiratory protection needs



#### PRO-CHOICE P2 PARTICLE FILTER PAIR PCP2

1 x Pair

- IXIUII
- » Suits Pro-Choice Half Mask Respirator Twin Filter
- » P2 cartridges protects against mechanically and thermally generated particles



# PRO CHOICE A1P2 PARTICLE / GAS FILTER PAIR

PCA1P2

- 1 x Pair
- » Suits Pro-Choice Half Mask Respirator Twin Filter
- » A1P2 cartridges for gas/vapour and combination particulate/gas/vapour cartridge



# PRO CHOICE P2 PRE-FILTERS

Pack of 20

- » Suits Pro-Choice Half Mask Respirator Twin Filter
- » Lightweight pads fit inside Pro Cartridge gas cartridge easy replacement system



# PRO CHOICE P2 DISPOSABLE VAVLED MASK

PC321

Pack of 12

- » P2 rating
- » Pro Valve for increased exhalation efficiency
- » Latex free dual straps



# PRO CHOICE P2 FLAT FOLD DISPOSABLE VALVED MASK PCFFP2V

Pack of 10

- » P2 rating
- Mouldable HD foam nose piece
- » Individually packed



# SUNDSTROM PRE-FILTER SR221

5 Pack, Diam: 102mm, Thick: 1mm

- Used in conjunction with Sundstrom SR100 respirator
- Sorts out coarse, wet and dry particles, protects the main filter and prolongs its service life



#### SUNDSTROM A2 SOLVENT FILTER SR218

Diam: 106mm, Thick: 36mm

- Used in conjunction with Sundstrom SR100 respirator
- Use against vapour from organic substances whose boiling point exceeds +65°C



#### PRO-CHOICE HALF MASK RESPIRATOR TWIN FILTER HMTPM

#### Medium / Large

- Soft & durable Silicone for an airtight and secure seal
- » Enhanced bolstered four point cradle suspension for improved load bearing, better fit & comfort.
- Low resistance exhalation valve to reduce heat & moisture build up



#### SUNDSTROM SILICA BOX KIT SR100KIT

Incl. 510 P3 Particle Filter

- » Kit includes mask, filter(s), pre-filters, pre-filter holder, cleaning tissue and user manual
- P3 filter is used against all types of wet and dry particles, such as dust, smoke, aerosols, spray, asbestos, bacteria, viruses and mould. It removes 99.997% of all particles from the air you breathe.
- Contained in a rugged plastic box with carry handle



#### SUNDSTROM P3 PARTICLE FILTER SR510

Diam: 107mm, Thick: 31mm

- Used in conjunction with Sundstrom SR100 respirator
- Use against all types of wet & dry particles e.g. dust, smoke, aerosols, asbestos, bacteria, mould



#### All your dust extraction needs



# BLASTRAC DUST COLLECTOR - H CLASS BDC1133H 250 hPa Vacuum

- Compact dust collection system ideal for hand tools and small grinding machines. It can be used for both wet and dry applications.
- Sepecially designed to deal with hazardous materials due to its Hepa filter and H-Class certification.
- User friendly, easy to manoeuvre and transport due to the robust wheels with brake system.



# BLASTRAC HEAVY DUTY DUST COLLECTOR – H CLASS BDC122H

330 M3/H | 211 hPa 2 independent motors

- Especially designed to be connected to small surface preparation machines. The high suction power, filter options and large dust bin capacity ensures that all dust is safely collected.
- Equipped with a H14 HEPA filter which makes it perfect for hazardous materials & jobsites. It is an environmentally friendly dust collector that aims to improve the safety of the operators.
- This dust collector is ideal for asbestos and lead paint removal



#### BLASTRAC INDUSTRIAL DUST EXTRACTOR - M CLASS BDC1216

324 M3/H | 211 hPa 2 independent motors

- » Light weight industrial dust collector is ideal for hand tools and easily portable with a 40 litre dust container.
- » Ideally suited for handheld equipment and small grinders, shot blasters and scarifiers.
- » Standard equipped with a M-class star filter.



# TIV1000 SINGLE PHASE 1 MOTOR HEPA DUST EXTRACTOR TIV1000

#### 1.2KW Power / 240 V / 50-60HZ

- » OSHA compliant H13 HEPA filter
- "No marking type" lockable rear wheels and lockable front caster
- Continues bagging system ensures quick and dust free bag changes
- » Smart and portable design, transporting is like a breeze



#### TIV2000 SINGLE PHASE 2 MOTORS HEPA DUST EXTRACTOR TIV2000

#### 2.4KW Power / 240V / 50-60HZ

- » OSHA compliant H13 HEPA filter
- Unique jet pulse filter cleaning system, efficiently purges the pre-filter without opening the vacuum to maintain a smooth air flow and avoid second dust hazard
- The height of the vacuum can be lowered to 103cm using as little space as possible when transporting
- An hour counter and vacuum meter for filter control are standard



#### TIV3000 SINGLE PHASE 3 MOTORS HEPA DUST EXTRACTOR TIV3000

#### 3.6KW Power / 240V / 50-60HZ

- » OSHA compliant H13 HEPA filter
- Unique jet pulse filter cleaning technology ensures efficient and clean filtration
- Welded frame/platform provide sturdy support in tough jobsites
- The 22 metres long plastic bag can be separated to approx. 40 individually sealed bags for fast, safe handling and disposal of dust.
- The height of the vacuum can be lowered to 110cm using as little space as possible when transporting



#### **DIAMOND CUP GRINDING DUST EXTRACTOR**

#### **DEC125**

#### Suits 100mm-125mm grinding cups

- » Removes dust while grinding
- » Removable guard for grinding against walls
- » Brush base provides support for a cushion action



#### **DIAMOND CUP GRINDING DUST EXTRACTOR**

#### **DEC**180

#### Suits 180mm grinding cups

- » 35mm vacuum outlet
- » Removable guard for grinding against walls
- » Brush base provides support for a cushion action



#### **DIAMOND BLADE DUST EXTRACTOR**

#### **DEXBC**

- » Removes dust while cutting
- » Suits 100-125mm blades
- » Includes universal adapter to suit most vacuums



#### **WET/DRY VACUUM WDV**

#### 35L | 1200W

- » 35L Wet/Dry vacuum and blower
- » 3 metre hose
- » 5 metre power cord
- » Auto ancillary power socket
- HEPA filter
- » Blower attachment and drain hole



#### **METABO ALL-PURPOSE VACUUM CLEANER L-CLASS**

#### ASR35

#### 248 hPa Vacuum

- Designed for extraction from the power tool in continuous mode, both on construction sites and in the workshop.
- » Especially suited for extracting concrete and rock dust.
- » Compact vacuum cleaner for liquids and dry solids with commercial registration.



#### **SUCTION DRILL GUIDE DUST EXTRACTOR**

#### 32mm - 37mm hose outlet

- » Dust free drilling
- » Connects to a vacuum cleaner
- » Suitable for tile, plaster, stone and non-porous material
- » Can be used with drills to maximum diameter of 65mm



#### **ZIP-UP WITH MASKING TAPE** DPZT

- » Prevents mess spreading
- » Heavy duty material
- » Suitable for doorways up to 1 metre wide



### All your machinery needs



# BRONCO FLOOR STRIPPER

### 1.2 x 0.7 x 1.1m | Blades and parts also available from MJS

- » Powerful, low-emission, high-performance, low-maintenance 17HP Kawasaki engine
- » Strip up to 1,400m<sup>2</sup> a day
- Compact easy to transport



# **DURO STRIPPER** 13347

#### 16kg

- For universal use on small and medium sized surfaces
- Can be used as a hand operated tool or as a floor tool with height adjustable handle
- » Standard running gear for easier operation



# 464R SELF-PROPELLED STRIPPER

#### 464R

#### 12kg

- Self propelled stripper now comes with a quick reverse control lever
- One motor drives the machine with 185lbs of thrust while a second motor provides the blade action
- » Removes direct glue down carpet, resilient sheet goods, vinyl tiles and other difficult floor accumulations



#### T2 SINGLE HEAD CONCRETE FLOOR GRINDER T2

#### 65kg

- Single-disc concrete grinder for small to medium horizontal surface preparation applications
- Very easy and comfortable to use with low vibrations
- » Fitted with water attachment



#### **T4 FLOOR GRINDER**

#### 14

#### 65kg

- Single-disc concrete grinder for small to medium horizontal surface preparation applications
- Dust free when connected to the appropriate dust collection system
- Has self levelling head and very comfortable to use



# T8 3 HEAD PLANETARY FLOOR GRINDER/POLISHER

#### T8

#### 270kg

- Designed for various sizes of horizontal surface preparation
- Is ideal for the removal of coating, concrete grinding or polishing
- Dust free when connected to the appropriate dust collection system



# TURBO STRIPPER 38587

#### 157kg

- » Professional removal of any bonded flooring
- Self propelled with hand operated clutch for operating convenience
- Detachable weight and handle for easy transportation



# METABO 9" 2400W GRINDER

#### 9inch/230 mm, 1600W

- » Robust, powerful angle grinder with greatest power density in its class for quick work progress
- Metabo Quick System for tool-free disc change at the touch of a button
- » Includes D-Handle & Metal Shroud



# METABO 5" 1000W GRINDER 5GKIT

#### 5inch/125mm, 720W

- Metabo marathon motor with patented dust protection for long service life
- » Metabo safety switch prevents unintentional start
- » Includes D-Handle & Metal Shroud



# GET IN Contact today

Interested in any of these products?
Call us today and place your order!





#### MJS REGIONAL WAREHOUSES

#### **BRISBANE** (Corporate)

35 Dividend St, Mansfield PO Box 2393, Mansfield P: (07) 3347 7300

F: (07) 3343 9792

#### **ADELAIDE**

22 Ridley Street, Hindmarsh

P: (08) 8178 5300

F: (08) 8178 5302

#### **TOWNSVILLE**

Unit 1/12 Civil Rd, Garbutt

P: (07) 4727 6500

F: (07) 4727 6502

#### **MELBOURNE**

82 Endeavour Way, Sunshine

P: (03) 9351 7400

F: (03) 9351 7402

#### **SYDNEY**

Unit 2, 4-7 Potter CI, Wetherill Park

P: (02) 9616 1500

F: (02) 9616 1502

#### **HOBART**

101 Albert Rd, Moonah

P: (03) 6242 8800

F: (03) 6242 8802

#### **CANBERRA**

Unit 6B/3 Barrier St, Fyshwick

P: (02) 6212 9400

F: (02) 6212 9402

#### DARWIN

Unit 4/124 Coonawarra Rd, Winnellie

P: (08) 7922 9700

F: (08) 7922 9702

PERTH - Opening 2020



#### MJS TRADE CENTRES

#### QLD

BOWEN HILLS

P: (07) 3514 5700

**CAIRNS** 

P: (07) 4245 8300

**GOLD COAST** 

P: (07) 5586 9800

**MACKAY** 

P: (07) 4864 3500

SUNSHINE COAST

P: (07) 5475 8100

**TOOWOOMBA** 

P: (07) 4592 4700

#### **VIC**

DANDENONG

P: (03) 8780 6900

#### **NSW**

**SEVEN HILLS** 

P: (07) 8672 2100

**TAMWORTH** 

P: 0407 454 500 NEWCASTLE

P: (02) 4965 2600

