

## 1. Identification

### **GHS Product identifier**

Mixture identification:

Trade name: PRIMER MF comp. A Trade code: 902411

### Recommended use of the chemical and restrictions on use

### Recommended use: Epoxy resins

Uses advised against: Data not available

### Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia

Responsible: sales@mapei.com.au

### **Emergency phone number**

Australian Poisons Information Centre 24 Hour Service 13 11 26 Police or Fire Brigade 000

## 2. Hazard identification



### **Classification of the Hazardous chemical**

Skin Irrit. 2	Causes skin irritation.
Eye Irrit. 2A	Causes serious eye irritation.
Skin Sens. 1A	May cause an allergic skin reaction.
Aquatic Chronic 2	Toxic to aquatic life with long lasting effects.
Adverse physicochemical, h	uman health and environmental effects:
No other hazards	

## GHS label elements, including precautionary statements

**Pictograms and Signal Words** 



#### Hazard statements:

nazaru statements:	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
Precautionary statem	ients:
P261	Avoid breathing mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see supplementary instructions on this label)
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
P501	Dispose of contents/container in accordance with applicable regulations.

### Other hazards which do not result in a classification

Other Hazards: No other hazards

This preparation contains low molecular weight epoxy resins. Cross sensitisation to other epoxies is possible. Avoid also exposure to spray mist and vapour.

## 3. Composition/information on ingredients

#### Substances

no data available

#### Mixtures

Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:

Concentra tion (% w/w)	Name	Ident. Numb.	Classification	Registration Number
≥50 - <75 %			Eye Irrit. 2A, H319; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 2, H411	
	oxirane, mono[(C12-14- alkyloxy)methyl] derivs.		Skin Irrit. 2, H315; Skin Sens. 1, H317	01-2119485289-22-XXXX
≥10 - <20 %			Skin Irrit. 2, H315; Skin Sens. 1A, H317; Aquatic Chronic 2, H411	01-2119454392-40-XXXX
≥10 - <20 %		CAS:38640-62-9 EC:254-052-6	Asp. Tox. 1, H304; Aquatic Chronic 1, H410	01-2119565150-48-XXXX

### 4.First-aid measures

### **Description of necessary first-aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## Symptoms caused by exposure

Eye irritation

Eye damages

Skin Irritation

Erythema

#### Medical attention and special treatment

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### 5. Fire-fighting measures

#### Suitable extinguishing media

None in particular. Water. Carbon dioxide (CO2).

#### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: ==

Oxidizing properties: no data available

### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

## **Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

## Methods and materials for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Wash with plenty of water.

## 7. Handling and storage

### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

# See also section 8 for recommended protective equipment.

## Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

## 8. Exposure controls/personal protection Control parameters - exposure standards, biological monitoring

### Predicted No Effect Concentration (PNEC) values

	•				
Component	CAS-No.	PNEC Limit	Exposure Route	Exposure Frequency Remark	
	25068-38-6	0,006 mg/l	Fresh Water		
		0,0006 mg/l	Marine water		
		0,0627 mg/kg	Freshwater sediments		
		0,00627 mg/kg	Marine water sediments		
oxirane, mono[(C12-14- alkyloxy)methyl] derivs.	68609-97-2	0,00072 mg/l	Marine water		
		0,0072 mg/l	Fresh Water		
		66,77 mg/kg	Freshwater sediments		
		6,677 mg/kg	Marine water sediments		
		80,12 mg/kg	Soil		
		10 mg/l	Microorganisms in sewage treatments		
	9003-36-5	10 mg/l	Microorganisms in sewage treatments		
Print date	25/07/2022	Production Name	PRIMER MF cor	mp. A	Page

0,003 mg/l	Fresh Water
0,294 mg/kg	Freshwater sediments
0,0003 mg/l	Marine water
0,0294 mg/kg	Marine water sediments
0,237 mg/kg	Soil

# Derived No Effect Level. (DNEL)

Component	CAS-No.	Worker Worke Industr Profes y ional		Exposure Route	Exposure Frequency Remark
	25068-38-6	8,3 mg/kg		Human Dermal	Short Term, systemic effects
		12,25 mg/m3		Human Inhalation	Short Term, systemic effects
		8,3 mg/kg		Human Dermal	Long Term, systemic effects
		12,25 mg/m3		Human Inhalation	Long Term, systemic effects
			3,571 mg/kg	Human Dermal	Short Term, systemic effects
			0,75 mg/kg	Human Oral	Short Term, systemic effects
			3,571 mg/kg	Human Dermal	Long Term, systemic effects
			0,75 mg/kg	Human Oral	Long Term, systemic effects

## Appropriate engineering controls

no data available

## Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

no data available

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to AS/NZS 1715-1716 for information on selection and use of appropriate respiratory protection equipment.

## 9. Physical and chemical properties

Color transparent Appearance: liquid Odour: Characteristic Odour threshold: no data available pH: no data available Melting point / freezing point: no data available Initial boiling point and boiling range: no data available Flash point: no data available Evaporation rate: no data available Flammability (Solid, Gas): no data available Upper/lower flammability or explosive limits: no data available Vapour pressure: no data available Vapour density: no data available Relative density: 1.17 g/cm3 Solubility in water: Insoluble Solubility in oil: Soluble Partition coefficient (n-octanol/water): no data available Auto-ignition temperature: no data available Decomposition temperature: no data available Viscosity: 350.00 cPs Specific heat value: no data available Saturated vapour concentration: no data available Release of invisible flammable vapours and gases: no data available Particle size: no data available Particle size distribution: no data available Shape and aspect ratio: no data available Crystallinity: no data available Dustiness: no data available Specific surface area: no data available Degree of aggregation or agglomeration, and dispersibility: no data available Biodurability or biopersistence: no data available Surface coating or chemistry: no data available VOC % (Volatile Organic Compound) : (A+B) 29.9 (Rule 1168) g/l

## 10. Stability and reactivity

### Reactivity

Stable under normal conditions

## **Chemical stability**

no data available

Possibility of hazardous reactions

None.

## **Conditions to avoid**

Stable under normal conditions.

# Incompatible materials

None in particular.

Hazardous decomposition products

### **SECTION 11:** Toxicological information

Information on toxicological effects

### Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

### Toxicological information on main components of the mixture:

a) acute toxicity	LD50 Oral Rat > 15000 mg/kg
	LD50 Skin Rabbit > 23000 mg/kg
	LD50 Oral Rat = 11400 mg/kg
i) STOT-repeated exposure	NOAEL Oral Rat = 50 mg/kg
	NOAEL Skin Rat = 100 mg/kg
a) acute toxicity	LD50 Oral Rat > 5000 mg/kg
	LD50 Skin Rabbit > 3987 mg/kg
	LD50 Oral Rat = 17100 mg/kg
a) acute toxicity	LD50 Oral Rat > 10000 mg/kg
	LD50 Skin Rat > 2000 mg/kg
	LD50 Oral Rat > 2 g/kg
i) STOT-repeated exposure	NOAEL Oral = 250 mg/kg
	<ul> <li>i) STOT-repeated exposure</li> <li>a) acute toxicity</li> <li>a) acute toxicity</li> <li>i) STOT-repeated</li> </ul>

25/07/2022

## If not differently specified, the information required in the regulation and listed below must be considered as N.A.

a) acute toxicity

b) skin corrosion/irritation

c) serious eye damage/irritation

d) respiratory or skin sensitisation

e) germ cell mutagenicity

f) carcinogenicity

g) reproductive toxicity

h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

i) STOT-repeated exposure

j) aspiration hazard

## 12. Ecological information

## Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

Toxic to aquatic life with long lasting effects.

## List of components with eco-toxicological properties

Component	Ident. Numb.	Ecotox Infos
	CAS: 25068-38- 6 - EINECS: 500-033-5 - INDEX: 603- 074-00-8	a) Aquatic acute toxicity : LC50 Fish > 2 mg/L 96
		a) Aquatic acute toxicity : EC50 Daphnia > 1,8 mg/L 48
		a) Aquatic acute toxicity : LC50 Algae > 11 mg/L 72
		a) Aquatic acute toxicity : LC50 Daphnia = 1,3 mg/L 96
		b) Aquatic chronic toxicity : NOEC Daphnia = 0,3 mg/L
oxirane, mono[(C12-14- alkyloxy)methyl] derivs.	CAS: 68609-97- 2 - EINECS: 271-846-8 - INDEX: 603- 103-00-4	a) Aquatic acute toxicity: EC50 Daphnia = 7,20000 mg/L 48
		a) Aquatic acute toxicity: EC50 Algae = 844,00000 mg/L 72
		a) Aquatic acute toxicity: LC50 Fish > 1800,00000 mg/L 96
	CAS: 9003-36-5 - EINECS: 500- 006-8	a) Aquatic acute toxicity : EC50 Fish = 2,54 mg/L 96
		a) Aquatic acute toxicity: EC50 Daphnia = 2,55 mg/L 48
	CAS: 38640-62- 9 - EINECS: 254-052-6	a) Aquatic acute toxicity : LL50 Daphnia = 1,7 mg/L 48
		a) Aquatic acute toxicity : NOEC Daphnia = 0,013 mg/L - 21 d
		a) Aquatic acute toxicity : LC50 Fish Cyprinus carpio > 1000 mg/L 96h
		a) Aquatic acute toxicity : LC50 Fish Oryzias latipes > 1000 mg/L 96h
Persistence and degradability		
na data availabla		

no data available

### **Bioaccumulative potential**

no data available

## Mobility in soil

no data available

#### Other adverse effects

no data available

## 13. Disposal considerations

### **Disposal methods**

Recover if possible. In so doing, comply with the local and national regulations currently in force.

### 14. Transport information

### **UN number**

3082

## **UN proper shipping name**

ADG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resins) ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resins) IATA-Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resins) IMDG-Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resins)

## Transport hazard class(es)

ADG-Class: 9

ADR-Class: 9

IATA-Class: 9

IMDG-Class: 9

### Packing group, if applicable

ADG-Packing Group: III

ADR-Packing Group: III

IATA-Packing group: III

IMDG-Packing group: III

## **Environmental hazards**

ADG-Environmental Pollutant: Yes Marine pollutant: Yes

no data available

#### Special precautions for user

IATA-Subsidiary hazards:

IMDG-Subsidiary hazards:

# no data available

# Additional Information

no data available

## HazChem Code/Emergency Action code

•3Z

## 15. Regulatory information

# Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals. AICS: all components are listed

## 16. Other information

Code	Description
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low

N.A.: Not Applicable

N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

# Paragraphs modified from the previous revision:

- Safety Data Sheet

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION