MHB HARDBOARD ADHESIVE

PRODUCT DESCRIPTION

MHB is high solids timber underlay Adhesive. It is a high bond strength water based adhesive designed for the installation of Hardboard/Timber underlays to timber substrates.

MAX BOND

PRODUCT DATA SHEET

SURFACE PREPARATION

All surfaces to be bonded should be dry, smooth, and free of any contaminates that may affect the final bond.

All surfaces must be prepared in accordance with current Australian Standards 1884-2012 Floor Coverings Resilient Sheet including moisture testing.

Ensure timber subfloor is absorbent to allow adhesive to dry.

The minimum sub floor temperature prior to commencing preparation or adhesive application is 10°C.

APPLICATION

Spread adhesive with a 2.4mm x 2.4mm x 2.4mm 'V' Notched trowel.

Only spread about 2 - 3 square meters at time and then install underlay in to the wet adhesive film.

Always ensure a 100% adhesive transfer to the back of underlay.

Roll underlay with correct roller weight. 40kg roller is suitable.

Staple or nail underlay as required prior to adhesive setting.

Complete installation according underlay to manufacturer's instructions.

CLEAN UP

QUEENSLAND

35 Dividend St

Mansfield 4122

Ph: 07 3347 7300

Fax: 07 3343 9792

Brisbane

Clean tools immediately after use with warm soapy water. Dried adhesive may be cleaned off using a solvent cleaner applied to a damp cloth then rubbed gently over the dried adhesive.

Floorcoverings

NORTHERN TERRITORY

Unit 4/124 Coonawarra Rd Winnellie NT 0821 Ph: 08 7922 9700 Fax: 08 7922 9702

SOUTH AUSTRALIA

MJS Floorcoverings

WESTERN AUSTRALIA Perth

MJS Floorcoverings Opening soon

TYPICAL PROPERTIES

Appearance:	Beige
Base:	EVA Polymer
Solids:	Approx. 80%
Viscosity:	Creamy Paste
Shelf Life:	Up to 1 year from manufacturing date in sealed container at 20°C
Freezability:	Do not freeze
Container Size:	15 Litre plastic pail
Trowel Size:	2.4mm x 2.4mm x 2.4mm 'V' notched
COVERAGE	Up to 2 – 2.5m² per litre

Note: Always carry out your own test to confirm suitability of this product with your application. Additional information on physical properties, health hazards, storage, handling and transport is available in the Material Safety Data Sheet (MSDS), available on MJS website.

Updated 11/03/21



NSW

Melbourne MJS Floorcoverings 82 Endeavour St Sunshine 3020 Ph: 03 9351 7400 Fax: 03 9351 7402 Fax: 02 9616 1502

VICTORIA

TASMANIA Hobart MJS Floorcoverings 101 Albert Rd Moonah 7000 Ph: 03 6242 8800 Fax: 03 6242 8802

Darwin MJS Floorcoverings

Adelaide

22 Ridley Street Hindmarsh SA 5007 Ph: 08 8178 5300 Fax: 08 8178 5302