

BT421 Gold Foil Tape

RLA Polymers Pty Ltd

Chemwatch Hazard Alert Code: 1

| Chemwatch: 5409-15 | Issue Date: 27/02/2023 |
|--|------------------------|
| Version No: 3.1 | Print Date: 28/02/2023 |
| Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements | S.GHS.AUS.EN |

SECTION 1 Identification of the substance / mixture and of the company / undertaking

| Product Identifier | | | |
|-------------------------------|----------------------|--|--|
| Product name | BT421 Gold Foil Tape | | |
| Chemical Name | Not Applicable | | |
| Synonyms | BT421-CTN | | |
| Chemical formula | Not Applicable | | |
| Other means of identification | Not Available | | |

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Use according to manufacturer's directions.

Details of the manufacturer or supplier of the safety data sheet

| Registered company name | RLA Polymers Pty Ltd |
|-------------------------|---|
| Address | 215 Colchester Road, Kilsyth VIC 3137 Australia |
| Telephone | +61 3 9728 1644, 1800 242 931 |
| Fax | +61 3 9728 6009 |
| Website | www.rlapolymers.com.au |
| Email | sales@rlapolymers.com.au |

Emergency telephone number

| Association / Organisation | RLA Polymers Pty Ltd | CHEMWATCH EMERGENCY RESPONSE (24/7) | |
|-----------------------------------|----------------------|-------------------------------------|--|
| Emergency telephone numbers | +61 3 9728 1644 | +61 1800 951 288 | |
| Other emergency telephone numbers | 1800 242 931 | +61 3 9573 3188 | |

Once connected and if the message is not in your preferred language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

| | Not Applicable |
|-------------------------------|----------------|
| Classification ^[1] | Not Applicable |
| abel elements | |
| Hazard pictogram(s) | Not Applicable |
| Signal word | Not Applicable |

Hazard statement(s) Not Applicable

Precautionary statement(s) Prevention Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Page 2 of 7 BT421 Gold Foil Tape

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name | |
|--|--|------------------------|--|
| Not Available | >60 Ingredients determined not to be hazardous | | |
| 842-07-9 | <0.1 | C.I. Solvent Yellow 14 | |
| Legend: 1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available | | | |

SECTION 4 First aid measures

| Description of first aid measures | | | |
|-----------------------------------|--|--|--|
| Eye Contact | If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. | | |
| Skin Contact | If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. | | |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. | | |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. | | |

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

| Fire Incompatibility | Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result | | |
|-------------------------|---|--|--|
| Advice for firefighters | | | |
| Fire Fighting | Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water courses. Use water delivered as a fine spray to control fire and cool adjacent area. | | |
| Fire/Explosion Hazard | Combustible solid which burns but propagates flame with difficulty; it is estimated that most organic dusts are combustible (circa 70%) - according to the circumstances under which the combustion process occurs, such materials may cause fires and / or dust explosions. Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions). Avoid generating dust, particularly clouds of dust in a confined or unventilated space as dusts may form an explosive mixture with air, and any source of ignition, i.e. flame or spark, will cause fire or explosion. Dust clouds generated by the fine grinding of the solid are a particular hazard; accumulations of fine dust (420 micron or less) may burn rapidly and fiercely if ignited - particles exceeding this limit will generally not form flammable dust clouds; once initiated, however, larger particles up to 1400 microns diameter will contribute to the propagation of an explosion. Combustion products include: carbon monoxide (CO) carbon dioxide (CO2) other pyrolysis products typical of burning organic material. May emit poisonous fumes. | | |
| HAZCHEM | Not Applicable | | |

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures See section 8

See section 12

Page 3 of 7

BT421 Gold Foil Tape

Methods and material for containment and cleaning up

| Minor Spills | Clean up all spills immediately. Avoid breathing dust and contact with skin and eyes. Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up procedures and avoid generating dust. |
|--------------|---|
| Major Spills | Moderate hazard. CAUTION: Advise personnel in area. Alert Emergency Services and tell them location and nature of hazard. Control personal contact by wearing protective clothing. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

| Safe handling | Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions) Minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks, and flame. Establish good housekeeping practices. Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds. |
|-------------------|--|
| Other information | Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers. |

Conditions for safe storage, including any incompatibilities

| Suitable container | Polyethylene or polypropylene container. Check all containers are clearly labelled and free from leaks. |
|-------------------------|--|
| Storage incompatibility | Avoid reaction with oxidising agents |
| | |

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

| Ingredient | TEEL-1 | TEEL-2 | | TEEL-3 |
|------------------------|---------------|---------------|---------------|---------------|
| BT421 Gold Foil Tape | Not Available | Not Available | | Not Available |
| Ingredient | Original IDLH | | Revised IDLH | |
| C.I. Solvent Yellow 14 | Not Available | | Not Available | |

Occupational Exposure Banding

| Occupational Exposure banding | | |
|-------------------------------|--|--|
| Ingredient | Occupational Exposure Band Rating | Occupational Exposure Band Limit |
| C.I. Solvent Yellow 14 | D | > 0.01 to \leq 0.1 mg/m ³ |
| Notes: | Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to range of exposure concentrations that are expected to protect worker health. | |

Exposure controls

| Appropriate engineering controls | Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. |
|---|---|
| Individual protection measures, such as personal protective equipment | |
| Eye and face protection | Safety glasses with side shields Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. |
| Skin protection | See Hand protection below |

| Hands/feet protection | The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present. |
|-----------------------|---|
| Body protection | See Other protection below |
| Other protection | Overalls. P.V.C apron. Barrier cream. Skin cleansing cream. |

Respiratory protection

Type -P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

| Required Minimum Protection Factor | Half-Face Respirator | Full-Face Respirator | Powered Air Respirator |
|------------------------------------|----------------------|----------------------|------------------------|
| up to 10 x ES | P1 Air-line* | | PAPR-P1 - |
| up to 50 x ES | Air-line** | P2 | PAPR-P2 |
| up to 100 x ES | - | P3 | - |
| | | Air-line* | - |
| 100+ x ES | - | Air-line** | PAPR-P3 |

* - Negative pressure demand ** - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

· Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

• The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).

Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
 Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

· Use approved positive flow mask if significant quantities of dust becomes airborne.

· Try to avoid creating dust conditions.

Class P2 particulate filters are used for protection against mechanically and thermally generated particulates or both.

P2 is a respiratory filter rating under various international standards, Filters at least 94% of airborne particles

Suitable for:

· Relatively small particles generated by mechanical processes eg. grinding, cutting, sanding, drilling, sawing.

· Sub-micron thermally generated particles e.g. welding fumes, fertilizer and bushfire smoke.

· Biologically active airborne particles under specified infection control applications e.g. viruses, bacteria, COVID-19, SARS

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

| Appearance | Solid orange coloured waxy beads of adhesive over a fibreglass scrim on gold foil. | | |
|---|--|--|-----------------|
| Physical state | Solid | Relative density (Water = 1) | >0.97 |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available |
| pH (as supplied) | Not Available | Decomposition temperature (°C) | >180 |
| Melting point / freezing point (°C) | 80-120 | Viscosity (cSt) | 10000 cps @180C |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | >200 | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Applicable |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water | Not Available | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |

Page 5 of 7

BT421 Gold Foil Tape

SECTION 10 Stability and reactivity

| Reactivity | See section 7 |
|-------------------------------------|--|
| Chemical stability | Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 Toxicological information

Information on toxicological effects

| Inhaled | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. | | |
|------------------------|---|--|--|
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. | | |
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. | | |
| Eye | Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result. | | |
| Chronic | Long-term exposure to the product is not thought to produce models); nevertheless exposure by all routes should be | duce chronic effects adverse to the health (as classified by EC Directives using animal minimised as a matter of course. | |
| | ΤΟΧΙΟΙΤΥ | IRRITATION | |
| BT421 Gold Foil Tape | Not Available | Not Available | |
| | ΤΟΧΙΟΙΤΥ | IRRITATION | |
| C.I. Solvent Yellow 14 | dermal (rat) LD50: >2000 mg/kg ^[1] | Eye: no adverse effect observed (not irritating) ^[1] | |
| | Oral (Mouse) LD50; >1000 mg/kg ^[1] | Skin: no adverse effect observed (not irritating) ^[1] | |
| Legend: | Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances | | |

| C.I. SOLVENT YELLOW 14 | Bladder tumors recorded. Carcinogenic by RTECS c The following information refers to contact allergens. Contact allergies quickly manifest themselves as con eczema involves a cell-mediated (T lymphocytes) im involve antibody-mediated immune reactions. Detailed analysis of molecular structure indicates tha The azo linkage, a double bond between two nitroge No significant acute toxicological data identified in litt The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or lin | as a group and may not be specific to t tact eczema, more rarely as urticaria o mune reaction of the delayed type. Oth t the azo colourant can split off cancer- n atoms, is considered the most unstat erature search. | r Quincke's oedema. The pathogenesis of contact er allergic skin reactions, e.g. contact urticaria, causing arylamines. |
|-----------------------------------|--|--|---|
| Acute Toxicity | × | Carcinogenicity | × |
| Skin Irritation/Corrosion | × | Reproductivity | × |
| Serious Eye Damage/Irritation | × | STOT - Single Exposure | × |
| Respiratory or Skin sensitisation | × | STOT - Repeated Exposure | × |
| Mutagenicity | × | Aspiration Hazard | × |
| | | Legend: 🗙 – Data either n | ot available or does not fill the criteria for classification |

👽 – Data available to make classification

SECTION 12 Ecological information

| Toxicity | | | | | |
|----------------------|------------------|--------------------|---------------|------------------|------------------|
| | Endpoint | Test Duration (hr) | Species | Value | Source |
| BT421 Gold Foil Tape | Not Available | Not Available | Not Available | Not Available | Not Available |

BT421 Gold Foil Tape

| | Endpoint | Test Duration (hr) | Species | Value | Source |
|------------------------|----------------|---|-------------------------------|------------|--------|
| | EC50(ECx) | 48h | Crustacea | >10mg/l | 2 |
| C.I. Solvent Yellow 14 | EC50 | 72h | Algae or other aquatic plants | 30.77mg/l | 2 |
| | LC50 | 96h | Fish | 366.43mg/l | 2 |
| | EC50 | 48h | Crustacea | >10mg/l | 2 |
| Legend: | Ecotox databas | 1. IUCLID Toxicity Data 2. Europe ECHA Registere e - Aquatic Toxicity Data 5. ECETOC Aquatic Haza ion Data 8. Vendor Data | • | | |

DO NOT discharge into sewer or waterways.

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------------------|---------------------------|-----------------------------|
| C.I. Solvent Yellow 14 | LOW (Half-life = 56 days) | LOW (Half-life = 1.36 days) |

Bioaccumulative potential

| Bioaccumulation |
|------------------------|
| HIGH (LogKOW = 5.5069) |
| _ |

Mobility in soil

| Ingredient | Mobility |
|------------------------|-------------------|
| C.I. Solvent Yellow 14 | LOW (KOC = 36620) |

SECTION 13 Disposal considerations

| Waste treatment methods | |
|------------------------------|---|
| Product / Packaging disposal | Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material) Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed. |

SECTION 14 Transport information

| Labels Required | | |
|------------------|----------------|--|
| Marine Pollutant | NO | |
| HAZCHEM | Not Applicable | |

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group |
|------------------------|---------------|
| C.I. Solvent Yellow 14 | Not Available |
| | |

Transport in bulk in accordance with the IGC Code

| Product name | Ship Type |
|------------------------|---------------|
| C.I. Solvent Yellow 14 | Not Available |
| | |

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

C.I. Solvent Yellow 14 is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -Schedule 6

Australian Inventory of Industrial Chemicals (AIIC)

National Inventory Status

National Inventory

Status

Chemical Footprint Project - Chemicals of High Concern List International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Not Classified as Carcinogenic

BT421 Gold Foil Tape

| National Inventory | Status | | | |
|--|---|--|--|--|
| Australia - AIIC / Australia Non-Industrial Use | Yes | | | |
| Canada - DSL | Yes | | | |
| Canada - NDSL | No (C.I. Solvent Yellow 14) | | | |
| China - IECSC | Yes | | | |
| Europe - EINEC / ELINCS / NLP | Yes | | | |
| Japan - ENCS | /es | | | |
| Korea - KECI | /es | | | |
| New Zealand - NZIoC | Yes | | | |
| Philippines - PICCS | Yes | | | |
| USA - TSCA | Yes | | | |
| Taiwan - TCSI | Yes | | | |
| Mexico - INSQ | Yes | | | |
| Vietnam - NCI | Yes | | | |
| Russia - FBEPH | Yes | | | |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. | | | |

SECTION 16 Other information

| Revision Date | 27/02/2023 |
|---------------|------------|
| Initial Date | 03/08/2020 |

SDS Version Summary

| Version | Date of Update | Sections Updated |
|---------|----------------|---|
| 2.1 | 03/08/2020 | Identification of the substance / mixture and of the company / undertaking - Synonyms |
| 3.1 | 23/12/2022 | Classification review due to GHS Revision change. |

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC - TWA: Permissible Concentration-Time Weighted Average PC - STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit. IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors **BEI: Biological Exposure Index** AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.