Date of first edition: 03/05/2017



# 1. Identification

# **GHS Product identifier**

Mixture identification:

Trade name: ULTRABOND ECO 380 Trade code: 9019434

# Recommended use of the chemical and restrictions on use

Recommended use: Water-borne synthetic polymer based adhesive

Uses advised against: Data not available

## Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia

T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

Responsible: sales@mapei.com.au

## **Emergency phone number**

Australian Poisons Information Centre 24 Hour Service 13 11 26 Police or Fire Brigade 000

# 2. Hazard identification

## **Classification of the Hazardous chemical**

0

The product is not classified as dangerous according to Australia WHS 2012.

Adverse physicochemical, human health and environmental effects:

No other hazards

## GHS label elements, including precautionary statements

The product is not classified as dangerous according to Australia WHS 2012.

# Other hazards which do not result in a classification

Other Hazards: No other hazards

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

## 3. Composition/information on ingredients

## Substances

no data available

## Mixtures

Mixture identification: ULTRABOND ECO 380

# Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:

Concentra tion (% w/w)	Name	Ident. Numb.	Classification	Registration Number
≥25 - <50 %	calcium carbonate	CAS:1317-65-3 EC:215-279-6		
≥5 - <10 %	free crystalline silica (Ø >10 $\mu)$	CAS:14808-60-7 EC:238-878-4		
≥1 - <2.5 %	1-Phenoxypropan-2-ol	CAS:770-35-4 EC:212-222-7	Eye Irrit. 2A, H319	01-2119486566-23-XXXX

# 4.First-aid measures

# Description of necessary first-aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

# Symptoms caused by exposure

no data available

# Medical attention and special treatment

Treatment<sup>.</sup> no data available

(see paragraph 4.1)

# 5. Fire-fighting measures

# Suitable extinguishing media

None in particular. Water. Carbon dioxide (CO2).

#### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: ==

Oxidizing properties: no data available

#### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

## 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

# **Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Limit leakages with earth or sand.

## Methods and materials for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Retain contaminated washing water and dispose it.

## 7. Handling and storage

# Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

# Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

# 8. Exposure controls/personal protection

# Control parameters – exposure standards, biological monitoring

# List of components with OEL value

Component	OEL Co Type	ountry Ceilin	g Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note		
calcium carbonate	OSHA		15							
	OSHA		5							
	National G	REECE	10							
Print date	25/07/2022	Production Name	ULTRA	BOND ECO	380		Pag	e n.	2 of	8

1-Phenoxypropan-2-ol	770-35-4	0.1 mg/l	Fresh Water		
Component	CAS-No.	PNEC Limit	Exposure Route	Exposure Frequency Remark	
Predicted No Effect Co	ncentration (PN	IEC) values			
	National CROAT	ĪA	0.100		
	National ROMA		0.100		
	National LITHU		0.100		
	National BULGA		0.070		
	National SLOVA		0.100	0.000	
	National SLOVA		0.100 0.100	0.500	
	National SWEDI National ESTON		0.100		
	National DENMA		0.100		
	National DENMA		0.300		
	National HUNG		0.150		
	REPUB				
	National CZECH		0.100		
	National BELGI		0.100		
	National PORTU		0.025		
	National SPAIN National FINLA		0.050 0.05		
	National FRANC		0.100		
		-	0.400		Carcinogen;lung cancer;pulmonary fibros
	ACGIH		0.025		A2 - Suspected Human
	National AUSTR	ΔΙΤΔ	0.050		
	National NORW	AY	0.300		K: Chemicals to be treat as carcinogenic.
	ACGIH None		0.025		(R), A2 - Pulm fibrosis, l cancer
	National SWITZ	ERLAND	0.15		А
	National DENM	ARK	0.100		DENMARK, respirable aerosol respirable aeroso
·10 µ)			0.5		aerosol inhalable aeroso
ree crystalline silica (Ø	National DENMA		0.3		DENMARK, inhalable
	National CROAT National FRANC		10.000		
	National CROAT		4 10		
	National ROMAN		10		
	National BULGA		10		
	National UNITE KINGD	OM	4	30	
	National UNITE KINGD	OM	10	12	
	National UNITE KINGD		10	30	
	National SLOVA		10		
	National ESTON	IIA	5		
	National ESTON	IIA	10		
	National HUNG		10		
	National CZECH REPUB		10.0		
	National BELGI	JM	10		

25/07/2022

Production Name

		0.01 mg/l 0.38 mg/kg 0.038 mg/kg	Marine water Freshwater sediments Marine water sediments		
Derived No Effect Leve	l. (DNEL)				
Component	CAS-No.	Industr Pr	orker Consu ofess mer nal	Exposure Route	Exposure Frequency Remark
1-Phenoxypropan-2-ol	770-35-4	42 mg/kg	21 mg/kg	Human Dermal	Long Term, systemic effects
		25.7 mg/m3		Human Inhalation	Long Term, systemic effects
			3.65 mg/kg	Human Oral	Long Term, systemic effects

## Appropriate engineering controls

no data available

**Individual protection measures, such as personal protective equipment (PPE)** Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Suitable materials for safety gloves; AS/NZS 2161.10:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to AS/NZS 1715-1716 for information on selection and use of appropriate respiratory protection equipment.

# 9. Physical and chemical properties

Physical state Liquid Color Beige Appearance: paste Odour: Characteristic Odour threshold: no data available pH: 9.00 Melting point / freezing point: no data available Initial boiling point and boiling range: 100 °C (212 °F) Flash point: no data available Evaporation rate: no data available Flammability (Solid, Gas): no data available Upper/lower flammability or explosive limits: no data available Vapour pressure: no data available Vapour density: no data available Relative density: 1.23 g/cm3 Solubility in water: dispersible Solubility in oil: insoluble Partition coefficient (n-octanol/water): no data available Auto-ignition temperature: no data available Decomposition temperature: no data available Viscosity: 85,000.00 cPs Specific heat value: no data available Saturated vapour concentration: no data available Release of invisible flammable vapours and gases: no data available Particle size: no data available Particle size distribution: no data available Shape and aspect ratio: no data available

Crystallinity: no data available Dustiness: no data available Specific surface area: no data available Degree of aggregation or agglomeration, and dispersibility: no data available Biodurability or biopersistence: no data available Surface coating or chemistry: no data available VOC % (Volatile Organic Compound) : 17 (Rule 1168) g/l

# 10. Stability and reactivity

#### Reactivity

Stable under normal conditions Chemical stability

# no data available

# Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

# Incompatible materials

None in particular.

## Hazardous decomposition products

None.

# **SECTION 11: Toxicological information** Information on toxicological effects

#### Toxicological information of the mixture:

-	
a) acute toxicity	Not classified
	Based on available data, the classification criteria are not met
b) skin corrosion/irritation	Not classified
	Based on available data, the classification criteria are not met
c) serious eye damage/irritation	Not classified
	Based on available data, the classification criteria are not met
d) respiratory or skin sensitisation	Not classified
	Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified
	Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified
	Based on available data, the classification criteria are not met
g) reproductive toxicity	Not classified
	Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified
	Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified
	Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified
	Based on available data, the classification criteria are not met

## Toxicological information on main components of the mixture:

calcium carbonate	a) acute toxicity	LD50 Oral Rat > 5000 mg/kg
free crystalline silica (Ø >10 μ)	a) acute toxicity	LD50 Oral > 2000 mg/kg
		LD50 Skin > 2000 mg/kg
1-Phenoxypropan-2-ol	a) acute toxicity	LD50 Oral Rat = 2830 mg/kg LD50 Skin Rabbit > 2000 mg/kg LC50 Inhalation Rat > 5400 mg/m3 4h

# 12. Ecological information

# Ecotoxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

# List of Eco-Toxicological properties of the product

Not classified for environmental hazards

Based on available data, the classification criteria are not met

# List of components with eco-toxicological properties

Component	Ident. Numb.	Ecotox Infos	
calcium carbonate	CAS: 1317-65-3 - EINECS: 215- 279-6	a) Aquatic acute toxicity :	LC50 Fish > 10000 mg/L 96
		a) Aquatic acute toxicity :	EC50 Daphnia > 1000 mg/L 48
		a) Aquatic acute toxicity :	EC50 Algae > 200 mg/L 72
1-Phenoxypropan-2-ol	CAS: 770-35-4 - EINECS: 212- 222-7	a) Aquatic acute toxicity :	LC50 Fish > 100 mg/L 96
		a) Aquatic acute toxicity :	LC50 Daphnia = 370 mg/L 48
		a) Aquatic acute toxicity :	EC50 Algae > 100 mg/L 72

## Persistence and degradability

no data available

## **Bioaccumulative potential**

no data available

# Mobility in soil

no data available

## Other adverse effects

no data available

# 13. Disposal considerations

## **Disposal methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Clean waste packaging should be recycled when possible and authorized by the authority.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

# 14. Transport information

Not classified as dangerous in the meaning of transport regulations.

## **UN** number

no data available

# **UN proper shipping name**

no data available

Transport hazard class(es)

no data available

Packing group, if applicable

no data available

**Environmental hazards** 

no data available

# Special precautions for user

no data available

#### Additional Information

no data available

## HazChem Code/Emergency Action code

no data available

## 15. Regulatory information

#### Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals.

AICS: all components are listed

# 16. Other information

# Code Description

H319 Causes serious eye irritation.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer IATA: International Air Transport Association. IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA). IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization. ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO). IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients. IRCCS: Scientific Institute for Research, Hospitalization and Health Care KAFH: KAFH KSt: Explosion coefficient. LC50: Lethal concentration, for 50 percent of test population. LD50: Lethal dose, for 50 percent of test population. LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable N/D: Not defined/ Not available NA: Not available NIOSH: National Institute for Occupational Safety and Health NOAEL: No Observed Adverse Effect Level OSHA: Occupational Safety and Health Administration. PBT: Persistent, Bioaccumulative and Toxic PGK: Packaging Instruction PNEC: Predicted No Effect Concentration. **PSG:** Passengers RID: Regulation Concerning the International Transport of Dangerous Goods by Rail. STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. TLV: Threshold Limiting Value. TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard). vPvB: Very Persistent, Very Bioaccumulative. WGK: German Water Hazard Class.

# Paragraphs modified from the previous revision:

- Safety Data Sheet
- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 5. FIRE-FIGHTING MEASURES
- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 16. OTHER INFORMATION