

PELICAN MIXER & TRANSPORT CART



MIXING WITH THE BEST

PORTAMIXTM



PELICAN

MIXER & TRANSPORT CART

Powerful Drive

Heavy-duty mixing motor
*PMP80MIX Only

Safety First

Safety switch with built-in RCD

Quick-Mount

Heavy-duty bracket mounts the mixer motor to the Pelican for mixing up to 3 bags at once.

High Rider

Large handle at an increased height allows for precision control and pouring.

Long Life

Hard wearing LDPE cannister for minimal wearing when mixing.

Foot Release

Foot activated tilt release lever.

Rugged & Compact Design

The robust, powder coated chassis and cradle will fit through a standard doorway.

Dust Control

Integrated dust port for dust-free mixing. Optimum performance with the Lid.

Precision Pouring

Molded pouring spout allows for precise pouring of material without any build-up.

Efficiency Plus

The flexible liner allows for increase efficiencies in both mixing and cleaning.

Fully Loaded

As a transport cart it holds a full 6-bag Mega Hippo
*PMP80 only

Easy Roll

Rubberised castors provide optimum maneuverability on flat floors allowing accurate pour and spread of material simultaneously.



"Always appreciate a good pour of material that doesn't make you work harder."

NICK ABBRUZZESE
ABBRUZZESE FLOORS INC

KEY FEATURES

- | Mixes, delivers and spreads material quickly with excellent control
- | Handles wide range of construction compounds
- | Easy operation by one person
- | Reduces time, effort and labour costs
- | Thorough mixing, blending and placement without mess
- | Dust extraction port to allow vacuum connection to reduce dust hazard while mixing
- | Easy to clean out



FEATURES



Ultimate Control

Large, offset, T-shaped handle at an increased height allows for precision control and pouring. Also reducing back pain from long shifts of bending and pouring.



Dust Control

Reduce dust to a minimum with the integrated 50mm dust port. With the liner featuring the same port, and the lid contoured to fit, hazardous dusts are minimal.



Reduce Downtime & Cross Contamination

Resilient, pliable liner is easily cleaned. Alternating liners prevents cross contamination. Extends life of canister. Flexible — easily breakout compound buildup. Ideal for resins, epoxies and other difficult-to-clean materials.



Easy Roll

Rubberised castors provide optimum manoeuvrability on flat floors allowing accurate pour and spread of material simultaneously. Fitted with splatter guards, keeping the bearings clean.



Powerful Drive

Dual-speed, heavy-duty European motor for material mixing. Includes safety switch with built-in RCD.



Mixer Options

The Mixer Mount allows a wide number of hand mixers to be used in mixing up to 3 bags. 65mm collar diameter.





PMP80MIX / PMP80MIX-110



*Motor sold separately

PMP80DC



PMP80

PELICAN SPECIFICATIONS AND SELECTOR GUIDE

Order Code	Pelican Mixer		Pelican Plus	Pelican Cart
	PMP80MIX	PMP80MIX-110	PMP80DC	PMP80
Motor Model	PP1314	PP1314-110	NA	NA
Watts	1250	1150	NA	NA
Volts	230-240	110	NA	NA
RPM (No load)	1 ST Gear 170/ 2 ND Gear 340		NA	NA
Cannister	PH706			NA
Cannister Lid	PH718			NA
Liner	PH705			NA
Motor Mount	PP650			NA
Mixing Paddle	TK200P/14			NA
Bowl Capacity	85 Litres/ 22 Gallons			
Mix Capacity	3x 22kg mix plus water (43 litres / 80kg) 3x 50lbs mix plus water (12 gallons/ 180lbs)			NA
Weight	47kg / 104lbs		41kg / 90lbs	34kg / 75lbs
Dimensions	mm: 610W x 795D x 1250H in: 24W x 31D x 49H		mm: 610W x 795D x 960H in: 24W x 31D x 37H	mm: 610W x 795D x 960H in: 24W x 31D x 37H

REPLACEABLE LINER

Order Code	PH705
Material	LDPE
Bowl Capacity	6 x 20kg mix plus water (85L 160kg)
Weight	2.9kg / 6.4lbs
Dimensions	mm: 530W x 640D x 900H in: 21W x 25D x 36H



Squash It Clean

Flexible — quickly and easily breakout dry compound buildup

PORTAMIX HAND MIXER

Order Code	EM182R	EM182R-110
Watts	1800	1800
Volts	220-240	110
RPM (No Load)	1 ST Gear 0-440 / 2 ND Gear 0-970	
Helix maximum diameter	200mm / 8in	
Thread	M14	
Weight	7.1kg / 16lbs	

